

FortiGate® FortiOS V7.2.5 Feature/Platform Matrix



	FG/FWF-40F Series	FG/FWF-60E Series	FG/FWF-60F Series	FG-70F Series	FG-80E Series	FG-80F Series	FG-90E Series	FG-100E Series	FG-100F Series	FG-200E Series	FG-200F Series	FG-300E Series	FG-400E Series
Systems													
VDOM Support
High Availability (HA)
Dedicate CPU for Management Tasks													
IPMI Sensors												.	.
FortiDeploy Support
FortiCarrier License Upgrade													
Networking													
Link Aggregation/Redundant Ports for HA
Jumbo Frame Support
VLAN
Virtual VLAN Switch		
Virtual Hardware Switch
ACL Offload to Switch							
WAN Optimization, Web Caching		61E: Disk Option Toggle	61F: Disk Option Toggle	71F: Disk Option Toggle	81E: Disk Option Toggle	81F: Disk Option Toggle	91E: Disk Option Toggle	101E: Disk Option Toggle	101F: Disk Option Toggle	201E: Disk Option Toggle	201F: Disk Option Toggle	. ***	. ***
Security Rating Root
Max Explicit Proxy User Number	1,000	1,000	1,000	1,000	1,000	1,000	1,000	12,000	12,000	12,000	12,000	12,000	12,000
Firewall													
Server Load Balancing
SSL Offloading
UTM													
AV Quarantine		CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI
AV Extreme DB												.	.
nTurbo Acceleration
DoS Protection	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI
Syn Proxy with NP													
DLP Fingerprinting		61E	61F	71F	81E	81F	91E	101E	101F	201E	201F	301E	401E
VPN													
L2TP client	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI				
Log & Reporting													
Disk Logging		61E	61F	71F	81E	81F	91E	101E	101F	201E	201F	301E	401E
Local Reporting		61E	61F	71F	81E	81F	91E	101E	101F	201E	201F	301E	401E
FortiView Historical Data		61E: 1 hour	61F: 1 hour	71F: 1 hour	81E: 1 hour	81F: 1 hour	91E: 1 hour	101E: 24 hours	101F: 24 hours	201E: 24 hours	201F: 24 hours	301E: 24 hours	401E: 24 hours

^ Doesn't support Mesh
Requires local storage

** Default 24 Hours, extension enabled via CLI
*** Dual disks



	FG-400F Series	FG-500E Series	FG-600D	FG-600E Series	FG-600F Series	FG-800D	FG-900D	FG-1000D	FG-1100E	FG-1200D	FG-1500D	FG-1800F Series	FG-2000E FG-2500E
Systems													
VDOM Support	•	•	•	•	•	•	•	•	•	•	•	•	•
High Availability (HA)	•	•	•	•	•	•	•	•	•	•	•	•	•
Dedicate CPU for Management Tasks													
IPMI Sensors	•	•	•	•	•	•	•	•	•	•	•	•	•
FortiDeploy Support	•	•	•	•	•	•	•						
FortiCarrier License Upgrade													
Networking													
Link Aggregation/Redundant Ports for HA	•	•	•	•	•	•	•	•	•	•	•	•	•
Jumbo Frame Support	•	•	•	•	•	•	•	•	•	•	•	•	•
VLAN	•	•	•	•	•	•	•	•	•	•	•	•	•
Virtual VLAN Switch	•			•									
Virtual Hardware Switch	•			•					•			•	
ACL Offload to ISF	•	•		•	•				•	•	•	•	•
WAN Optimization, Web Caching	• ***	• ***	Disk Option Toggle	• ***	• ***	Disk Option Toggle	Disk Option Toggle	Disk Option Toggle	• ***	Disk Option Toggle	• ***	• ***	Disk Option Toggle
Security Rating Root	•	•	•	•	•	•	•	•	•	•	•	•	•
Max Explicit Proxy User Number	12,000	12,000	12,000	12,000	12,000	12,000	12,000	32,000	32,000	32,000	32,000	32,000	64,000
Firewall													
Server Load Balancing	•	•	•	•	•	•	•	•	•	•	•	•	•
SSL Offloading	•	•	•	•	•	•	•	•	•	•	•	•	•
UTM													
AV Quarantine	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI
AV Extreme DB	•	•	•	•	•	•	•	•	•	•	•	•	•
nTurbo Acceleration	•	•	•	•	•	•	•	•	•	•	•	•	•
DoS Protection	•	•	•	•	•	•	•	•	•	•	•	•	•
Syn Proxy with NP									•	•	•	•	•
DLP Fingerprinting	401F	501E	•	601E	601F	•	•	•	1101E	•	•	1801F	•
VPN													
L2TP client													
Log & Reporting													
Disk Logging	401F	501E	•	601E	601F	•	•	•	•	•	•	•	•
Local Reporting	401F	501E	•	601E	601F	•	•	•	1101E	•	•	1801F	•
FortiView Historical Data	401F: 24 hours	501E: 24 hours	24 hours	601E: 24 hours	601F: 24 hours	24 hours	24 hours	24 hours	7 days **	24 hours	7 days **	7 days **	7 days **



	FG-2200E	FG-2600F Series	FG-3000D	FG-3000F Series	FG-3100D	FG-3200D	FG-3300E	FG-3400E	FG-3500F Series	FG-3600E	FG-3700D	FG-3800D	FG-3960E FG-3980E
Systems													
VDOM Support	•	•	•	•	•	•	•	•	•	•	•	•	•
High Availability (HA)	•	•	•	•	•	•	•	•	•	•	•	•	•
Dedicate CPU for Management Tasks	•	•	•	•	•	•	•	•	•	•	•	•	•
IPMI Sensors	•	•	•	•	•	•	•	•	•	•	•	•	•
FortiDeploy Support													
FortiCarrier License Upgrade		•	•	•	•	•	•	•	•	•	•	•	•
Networking													
Link Aggregation/Redundant Ports for HA	•	•	•	•	•	•	•	•	•	•	•	•	•
Jumbo Frame Support	•	•	•	•	•	•	•	•	•	•	•	•	•
VLAN	•	•	•	•	•	•	•	•	•	•	•	•	•
Virtual VLAN Switch				•									
Virtual Hardware Switch												FG-3800D	
ACL Offload to Switch	•	•	•	•	•	•	•	•	•	•	•	•	•
WAN Optimization, Web Caching	• ***	• ***	Disk Option Toggle	• ***	Disk Option Toggle	• ***	• ***	• ***	• ***	• ***	• ***	• ***	• ***
Security Rating Root	•	•	•	•	•	•	•	•	•	•	•	•	•
Max Explicit Proxy User Number	64,000	64,000	128,000	128,000	128,000	128,000	128,000	128,000	128,000	128,000	128,000	128,000	128,000
Firewall													
Server Load Balancing	•	•	•	•	•	•	•	•	•	•	•	•	•
SSL Offloading	•	•	•	•	•	•	•	•	•	•	•	•	•
UTM													
AV Quarantine	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI
AV Extreme DB	•	•	•	•	•	•	•	•	•	•	•	•	•
nTurbo Acceleration	•	•	•	•	•	•	•	•	•	•	•	•	•
DoS Protection	•	•	•	•	•	•	•	•	•	•	•	•	•
Syn Proxy with NP	•	•	•	•	•	•	•	•	•	•	•	•	•
DLP Fingerprinting	2201E	2601F	•	3001F	•	•	•	•	3301E	3401E	3501F	3601E	•
VPN													
L2TP client													
Log & Reporting													
Disk Logging	•	•	•	•	•	•	•	•	•	•	•	•	•
Local Reporting	•	2601F	•	3001F	•	•	•	•	•	3401E	3501F	3601E	•
FortiView Historical Data	7 days **	7 days **	7 days **	7 days **	7 days **	7 days **	7 days **	7 days **	7 days **	7 days **	7 days **	7 days **	7 days **

Copyright© 2023 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiCare® and FortiGuard®, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Counsel, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.

	FG-4200F FG-4400F	FG-5001E Series	FG-6000F Series	FG-7000E Series	FG-7000F Series	FG-VM00	FG-VM01 to VMUL
Systems							
VDOM Support	•	•	•	•	•		•
High Availability (HA)	•	•	•	•	•	•	•
Dedicate CPU for Management Tasks	•	•	•	•	•		
IPMI Sensors		•	•	•	•		
FortiDeploy Support						•	•
FortiCarrier License Upgrade	•	•	•	•	•	•	•
Networking							
Link Aggregation/Redundant Ports for HA	•	•	•	•	•	•	•
Jumbo Frame Support	•	•	•	•	•		
VLAN	•	•	•	•	•	•	•
Virtual VLAN Switch	•		•	•	•		
Virtual Hardware Switch	•		•	•	•		
ACL Offload to Switch	•		•	•	•		
WAN Optimization, Web Caching	• ***	5001E1:Disk Option Toggle	• ***	• ***	• ***	Disk Option Toggle / •	Disk Option Toggle / •
Security Rating Root	•	•	•	•	•	•	•
Max Explicit Proxy User Number	128,000	128,000	64,000	64,000	64,000	128,000	128,000
Firewall							
Server Load Balancing	•	•	•	•	•	•	•
SSL Offloading	•	•	•	•	•	•	•
UTM							
AV Quarantine	CLI	CLI	CLI	CLI	CLI	CLI	CLI
AV Extreme DB	•	•	•	•	•		•
nTurbo Acceleration	•	•	•	•	•		
DoS Protection	•	•			•	•	•
Syn Proxy with NP	•	•	•	•			
DLP Fingerprinting	4201/4401F	5001E1				•	•
VPN							
L2TP client							
Log & Reporting							
Disk Logging	•	5001E1	•	•	•	•	•
Local Reporting	4201/4401F	5001E1	•	•	•	•	•
FortiView Historical Data	7 days **	5001E1: 7 days **	7 days **	7 days **	7 days **	24 hours	24 hours

Copyright © 2023 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiCare® and FortiGuard®, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Counsel, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.